

2003/2005 NEVADA YRBS

SURVEY RESULTS

AND

REFERENCES

**NEVADA YOUTH RISK BEHAVIOR SURVEY
MIDDLE SCHOOL AND HIGH SCHOOL SURVEY RESULTS
SPRING 2003 & SPRING 2005**

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q1 – MS Q1 – HS	How old are you?	10 years old or younger 11 years old 12 years old 13 years old 14 years old 15 years old 16 years old 17 years old 18 years old or older Missing	N % 3 .1 235 10.3 669 29.4 835 36.7 478 21.0 49 2.2 6 .3 N=3	N % 6 .2 314 10.6 852 28.7 1,043 35.2 687 23.2 56 1.9 7 .2 N=2	N % 8 .4 5 .2 231 13.6 556 28.6 569 27.3 378 17.7 235 12.2	N % 7 0.4 2 0.1 191 13.9 426 29.7 402 25.3 331 18.8 197 11.7
Q2 – MS Q2 – HS	What is your sex?	Female Male Missing	1,203 53.0 1,068 47.0 N=7	1,617 54.6 1,346 45.4 N=4	1,089 48.8 893 51.2 N=0	899 49.0 656 51.0 N=1
Q3 – MS Q3 – HS	What grade are you in?	6 th 7 th 8 th 9 th 10 th 11 th 12 th Other Missing	591 26.2 802 35.5 861 38.2 2 .1 N=22	741 25.2 1,010 34.4 1,180 40.2 7 .2 N=29	549 32.9 634 27.5 410 20.9 362 18.2 9 .5 N=18	450 33.9 410 27.0 354 20.3 322 18.3 7 0.5 N=13

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q4 – MS Q4 – HS	How do you describe yourself?	Am. Indian or Alaskan Native Asian Black or African American Hawaiian or Pacific Islander Hispanic or Latino White Multiple-Non Hispanic Multiple-Hispanic Missing	72 3.2 96 4.2 187 8.3 53 2.3 544 24.1 1,012 44.8 172 7.6 125 5.5 N=17	99 3.4 133 4.5 263 8.9 68 2.3 835 28.4 1,201 40.8 133 4.5 213 7.2 N=22	48 1.0 93 2.0 121 10.0 31 .6 330 23.5 1,127 57.9 124 2.9 100 2.1 N=8	39 1.2 67 2.3 15 10.9 281 26.1 45 1.5 842 53.7 62 1.9 78 2.4 N=7
Q5 – MS Q5 – HS	How long have you lived in Nevada?	Less than 1 year 1 to 2 years 3 to 4 years 5 to 6 years 7 or more years Missing	141 6.2 205 9.1 294 13.0 277 12.2 1,345 59.5 N=16	170 5.7 248 8.4 327 11.1 356 12.0 1,856 62.8 N=10	101 5.4 126 7.3 175 8.7 234 12.1 1,342 66.4 N=4	95 6.2 89 6.1 146 9.8 157 9.4 1,063 68.4 N=6
Q6 – MS Q6 – HS	How long have you gone to school in the district where you now attend school?	Less than 1 year 1 to 2 years 3 to 4 years 5 to 6 years 7 or more years Missing	313 14.0 356 15.9 318 14.2 350 15.6 902 40.3 N=39	378 12.9 426 14.6 380 13.0 462 15.8 1,277 43.7 N=44	175 8.6 196 11.1 208 11.1 217 10.2 1,170 59.0 N=16	152 10.2 152 10.4 184 11.7 162 9.9 899 57.8 N=7
Q7 – MS Q7 – HS	During the past 12 months, how would you describe your grades in school?	Mostly A's Mostly B's Mostly C's Mostly D's Mostly F's None of these grades Not sure Missing	686 30.4 696 30.9 415 18.4 119 5.3 67 3.0 15 .7 257 11.4 N=2	953 32.4 875 29.7 496 16.8 139 4.7 79 2.7 17 .6 385 13.1 N=23	539 24.9 745 38.0 433 23.0 115 6.4 31 1.8 13 .6 100 5.3 N=6	467 27.6 524 34.0 334 23.2 77 4.9 35 2.4 8 0.6 107 7.4 N=4

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q8 – MS Q8 – HS	How much school do you miss?	I never miss school. I hardly ever miss school. I miss 2 or 3 days a semester. I miss 2 or 3 days a month. I miss some school every wk. Missing	288 12.7 989 43.6 634 28.0 285 12.6 71 3.1 N=11	440 14.9 1,326 44.9 713 24.1 372 12.6 105 3.6 N=11	206 11.2 679 33.3 619 30.2 338 17.6 137 7.6 N=3	179 11.9 510 33.7 482 30.1 278 17.2 107 7.1 N=0
Q9 – MS Q9 – HS	How many extra school or nonschool activities do you participate in regularly?	None 1 2 3 4 or more Missing	803 35.6 605 26.8 424 18.8 214 9.5 210 9.3 N=22	1,127 38.3 742 25.2 554 18.8 253 8.6 270 9.2 N=21	622 33.6 508 25.6 399 20.1 231 10.9 204 9.7 N=18	506 33.9 365 23.6 325 20.8 190 11.6 165 10.1 N=5
Q10 – MS	Which of the following describes your participation in the DARE program?	Never participated in DARE DARE in elem. school only DARE in middle/jr. high only DARE in both elem./jr. high Missing	307 13.5 1,611 71.0 200 8.8 151 6.7 N=9	477 16.1 2,080 70.3 226 7.6 174 5.9 N=10		
Q11 – MS Q10 – HS	In the past year, have you ever thought about dropping out of school?	Never thought about it Thought about it-not seriously Seriously thought about it Will probably drop out this yr. Dropped out and returned Missing	1,611 71.3 543 24.0 73 3.2 20 .9 14 .6 N=17	2,148 72.6 661 22.4 107 3.6 25 .8 16 .5 N=10	1,279 65.9 559 26.9 104 5.0 18 1.0 21 1.1 N=1	1,029 67.6 421 26.1 79 4.7 11 0.7 15 1.0 N=1

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q12 – MS Q11 – HS	How likely is it that you will complete a post high school program such as vocational, military, community college or 4-year college?	Definite won't Probably won't Probably will Definitely will Not sure Missing	67 3.0 128 5.7 783 34.7 794 35.2 483 21.4 N=23	119 4.0 201 6.8 934 31.7 1,009 34.3 682 23.2 N=22	65 3.2 115 6.5 574 30.4 1,041 50.0 179 10.0 N=8	70 5.3 93 6.2 417 28.2 821 49.5 151 10.8 N=4
Q13 – MS Q12 – HS	When you are away from home, how often do your parents or the adults you live with know where you are?	Every time Most times Sometimes Rarely or never I don't live with an adult. Missing	1,257 55.7 711 31.5 218 9.7 60 2.7 11 .5 N=21	1,730 58.5 823 27.8 329 11.1 60 2.0 151 .5 N=10	735 38.4 841 42.2 280 14.1 98 4.5 18 .8 N=10	613 41.3 632 40.0 221 13.8 54 3.3 21 1.7 N=15
Q13 – HS	During the school year, how many hours per week do you work at a part-time job?	0 hours 1 to 4 hours 5 to 11 hours 12 to 20 hours More than 20 hours Missing			1,254 64.0 148 7.5 172 7.8 214 10.1 194 10.6	980 64.2 134 9.5 131 8.0 152 8.7 157 9.5 N=2
Q14 – MS Q14 – HS	How often do you wear a seat belt when riding in a car?	Never Rarely Sometimes Most of the time Always Missing	110 4.9 163 7.2 330 14.6 702 31.1 951 42.2 N=22	106 3.6 204 6.9 398 13.5 867 29.4 1,374 46.6 N=18	88 4.2 159 8.1 273 13.8 563 29.7 897 44.2 N=2	61 4.4 116 7.8 161 10.7 448 28.8 767 48.3 N=3

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q15 – MS	When you ride a bicycle, how often do you wear a helmet?	I do not ride a bicycle. Never wear a helmet Rarely wear a helmet Sometimes wear a helmet Most times wear a helmet Always wear a helmet Missing N=24	446 19.8 1,124 49.9 270 12.0 150 6.7 133 5.9 131 5.8	623 21.1 1,497 50.8 316 10.7 184 6.2 164 5.6 165 5.6 N=18		
Q16 – MS	When you rollerblade or ride a skateboard, how often do you wear a helmet?	I don't rollerblade/skateboard Never wear a helmet Rarely wear a helmet Sometimes wear a helmet Most times wear a helmet Always wear a helmet Missing N=22	920 40.8 848 37.6 171 7.6 105 4.7 99 4.4 113 5.0	1,321 44.7 1,086 36.7 177 6.0 160 5.4 82 2.8 132 4.5 N=9		
Q17 – MS	How do you usually get to and from school?	Walk Ride a bicycle Ride a school bus Ride a city bus Am driven by a parent/adult Am driven by a friend Drive myself Some other way Missing N=32	430 19.1 100 4.5 758 33.7 35 1.6 818 36.4 48 2.1 17 .8 40 1.8	593 20.1 135 4.6 886 30.1 56 1.9 1,161 39.4 56 1.9 9 .3 50 1.7 N=21		
Q18 – MS Q15 – HS	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?	0 times 1 time 2 or 3 times 4 or 5 times 6 or more times Missing N=57	1,796 80.9 195 8.8 114 5.1 30 1.4 86 3.9	2,308 79.6 252 8.7 161 5.6 53 1.8 124 4.3 N=69	1,441 73.4 232 11.6 176 8.7 40 2.2 80 4.1 N=13	1,145 73.6 164 11.0 134 8.5 38 2.6 65 4.4 N=10

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q19 – MS Q16 – HS	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	0 times 1 time 2 or 3 times 4 or 5 times 6 or more times Missing	2,119 93.9 64 2.8 30 1.3 18 .8 25 1.1 N=22	2,737 92.8 67 2.3 53 1.8 33 1.1 59 2.0 N=18	1,732 88.9 107 5.3 65 3.4 22 .9 28 1.6 N=28	1,357 89.6 72 4.7 47 2.8 18 1.1 28 1.8 N=34
Q20 – MS Q17 – HS	How often do you feel safe and secure in your neighborhood?	Never Rarely Sometimes Most of the time Always Missing	98 4.3 116 5.1 297 13.2 879 38.9 867 38.4 N=21	202 6.8 178 6.0 404 13.7 1,074 36.4 1,094 37.1 N=15	69 3.0 75 4.1 186 9.3 788 39.7 861 43.9 N=3	51 3.8 54 2.9 157 10.0 655 40.6 637 42.6 N=2
Q21 – MS Q18 – HS	How often do you feel safe and secure at school?	Never Rarely Sometimes Most of the time Always Missing	134 6.0 114 5.1 355 15.8 859 38.3 779 34.8 N=37	207 7.1 218 7.4 526 17.9 1,064 36.2 921 31.4 N=31	100 5.1 70 3.5 269 14.6 869 45.4 659 31.3 N=15	81 5.4 71 4.5 245 16.3 682 43.7 467 30.1 N=10
Q22 – MS Q19 – HS	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?	0 days 1 day 2 or 3 days 4 or 5 days 6 or more days Missing	2,010 89.1 118 5.2 63 2.8 25 1.1 39 1.7 N=23	2,623 88.8 172 5.8 101 3.4 26 .9 31 1.0 N=14	1,804 91.3 78 3.9 55 2.5 23 1.0 22 1.3	1,404 90.6 66 3.9 47 2.9 14 1.1 23 1.5 N=2

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q23 – MS Q20 – HS	How often do you feel that you are accepted at school?	Never Rarely Sometimes Most of the time Always Missing	160 7.1 158 7.0 377 16.8 740 33.0 807 36.0 N=36	208 7.1 240 8.1 497 16.9 966 32.8 1,034 35.1 N=22	87 4.0 120 5.3 278 13.5 779 39.9 713 37.3 N=5	71 4.9 73 5.2 234 15.4 647 41.4 527 33.2 N=4
Q24 – MS Q21 – HS	During the past 30 days, how many times were you offended, threatened, frightened, or attacked because of your racial or ethnic background?	0 times 1 time 2 or 3 times 4 or 5 times 6 or more times Missing	1,642 73.2 276 12.3 170 7.6 45 2.0 109 4.9 N=36	2,125 72.3 368 12.5 247 8.4 56 1.9 142 4.8 N=29	1,602 80.4 167 8.5 102 5.9 26 1.6 70 3.6 N=15	1,235 79.3 131 8.6 93 5.5 33 2.6 59 4.0 N=5
Q25 – MS Q22 – HS	During the past 30 days, how many times were you offended, threatened, frightened, or attacked because of your gender?	0 times 1 time 2 or 3 times 4 or 5 times 6 or more times Missing	1,935 86.1 158 7.0 87 3.9 22 1.0 46 2.0 N=30	2,568 87.1 194 6.6 103 3.5 26 .9 56 1.9 N=20	1,700 87.6 143 6.4 82 3.6 19 .8 37 1.6 N=1	1,352 87.9 96 5.9 67 3.7 14 1.0 26 1.6 N=1
Q26 – MS Q23 – HS	Have you ever belonged to a street gang?	No, never Yes, but not now Yes, I belong to one now Missing	1,987 88.5 184 8.2 73 3.3 N=34	2,538 86.1 291 9.9 118 4.0 N=20	1,740 86.9 170 9.3 70 3.8 N=2	1,370 87.4 120 8.0 65 4.6 N=1
Q27 – MS Q24 – HS	Is there gang activity in your school?	Yes No Not sure Missing	672 30.1 386 17.3 1,178 52.7 N=42	923 31.5 458 15.6 1,551 52.9 N=35	753 43.5 458 17.5 766 39.0 N=5	659 41.5 284 18.6 607 39.9 N=6

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q28 – MS Q25 – HS	During the past 12 months, how many times were you in a physical fight?	0 times 1 time 2 or 3 times 4 or 5 times 6 or 7 times 8 or 9 times 10 or 11 times 12 or more times Missing	1,308 58.2 374 16.7 275 12.2 115 5.1 45 2.0 31 1.4 10 .4 88 3.9 N=32	1,755 59.6 454 15.4 393 13.3 141 4.8 54 1.8 35 1.2 10 .3 104 3.5 N=21	1,292 65.0 261 13.6 219 11.9 71 4.0 31 1.4 17 .9 8 .5 55 2.8 N=28	1,034 65.5 220 15.3 155 11.2 44 2.9 22 1.3 8 0.7 9 0.6 36 2.5 N=28
Q29 – MS Q26 – HS	During the past 12 months, how many times were you in a physical fight on school property?	0 times 1 time 2 or 3 times 4 or 5 times 6 or 7 times 8 or 9 times 10 or 11 times 12 or more times Missing	1,736 77.3 306 13.6 116 5.2 33 1.5 23 1.0 9 .4 2 .1 20 .9 N=33	2,313 78.7 356 12.1 172 5.9 39 1.3 17 .6 12 .4 9 .3 22 .7 N=27	1,703 87.4 177 8.8 39 2.1 9 .5 3 .2 5 .2 3 .1 14 .7 N=29	1,337 85.8 120 8.6 43 3.3 6 0.5 5 0.5 2 0.1 1 0.1 13 1.0 N=29
Q30 – MS Q27 – HS	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?	0 days 1 day 2 or 3 days 4 or 5 days 6 or more days Missing	1,910 86.3 105 4.7 79 3.6 21 .9 97 4.4 N=66	2,486 85.7 151 5.2 98 3.4 37 1.3 130 4.5 N=65	1,661 85.1 57 3.1 69 3.6 29 1.6 143 6.6 N=23	1,274 81.6 48 3.1 67 4.9 19 1.3 130 9.1 N=18
Q31 – MS Q28 – HS	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?	0 days 1 day 2 or 3 days 4 or 5 days 6 or more days Missing	2,127 94.9 51 2.3 29 1.3 8 .4 26 1.2 N=37	2,772 94.2 84 2.9 43 1.5 6 .2 39 1.3 N=23	1,840 93.7 35 2.1 24 1.1 8 .4 62 2.7 N=13	1,442 93.2 22 1.4 24 1.9 4 0.2 53 3.3 N=11

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q32 – MS Q29 – HS	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?	0 times 1 time 2 or 3 times 4 or 5 times 6 or 7 times 8 or 9 times 10 or 11 times 12 or more times Missing	2,069 92.2 116 5.2 30 1.3 8 .4 4 .2 1 .0 0 .0 15 .7 N=35	2,695 91.7 148 5.0 55 1.9 16 .5 4 .1 5 .2 1 .0 16 .5 N=27	1,860 94.0 66 3.3 24 1.3 6 .3 6 .4 4 .1 2 .1 13 .6 N=1	1,441 91.9 58 4.1 27 1.6 8 .8 5 .4 0 .0 0 .0 16 1.2 N=1
Q33 – MS Q30 – HS	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?	Yes No Missing	207 9.3 2,026 90.7 N=45	287 9.8 2,643 90.2 N=37	213 10.0 1,748 90.0 N=21	167 10.7 1,372 89.3 N=17
Q31 – HS	Have you ever been physically forced to have sexual intercourse when you did not want to?	Yes No Missing			228 11.0 1,752 89.0 N=2	156 9.5 1,395 90.5 N=5
Q34 – MS Q32 – HS	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	Yes No Missing	637 28.5 1,601 71.5 N=40	862 29.3 2,080 70.7 N=25	622 29.9 1,354 70.1 N=6	452 27.8 1,098 72.2 N=6
Q35 – MS Q33 – HS	During the past 12 months, did you ever seriously consider attempting suicide?	Yes No Missing	366 16.4 1,867 83.6 N=45	514 17.5 2,418 82.5 N=35	413 18.1 1,562 81.9 N=7	283 16.1 1,267 83.9 N=6

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q34 – HS	During the past 12 months, did you make a plan about how you would attempt suicide?	Yes No Missing			338 15.1 1,643 84.9 N=1	257 15.0 1,299 85.0 N=0
Q36 – MS Q35 – HS	During the past 12 months, how many times did you actually attempt suicide?	0 times 1 time 2 or 3 times 4 or 5 times 6 or more times Missing	1,989 89.2 129 5.8 72 3.2 8 .4 31 1.4 N=49	2,564 87.5 187 6.4 99 3.4 35 1.2 46 1.6 N=36	1,616 91.2 91 3.7 63 3.2 12 .7 21 1.1 N=179	1,236 91.3 67 4.2 46 2.7 7 0.6 18 1.2 N=182
Q36 – HS	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?	I did not attempt suicide Yes No Missing			1,605 91.2 61 2.9 123 5.9 N=193	1,230 91.3 56 3.4 81 5.3 N=189
Q37 – MS Q37 – HS	Have you ever tried cigarette smoking, even one or two puffs?	Yes No Missing	771 34.5 1,465 65.5 N=42	852 29.0 2,087 71.0 N=28	1,164 57.3 796 42.7 N=22	806 52.0 728 48.0 N=22
Q38 – MS Q38 – HS	How old were you when you smoked a whole cigarette for the first time?	Never smoked a whole cig. 8 years old or younger 9 or 10 years old 11 or 12 years old 13 or 14 years old 15 or 16 years old 17 years old or older Missing	1,766 79.6 88 4.0 100 4.5 176 7.9 88 4.0 N=60	2,365 81.2 98 3.4 125 4.3 193 6.7 131 4.5 N=55	1,108 58.5 86 4.2 106 4.9 197 9.7 293 14.6 147 7.2 20 .9 N=25	949 63.6 67 4.4 74 5.0 107 6.6 195 11.7 127 7.6 14 1.0 N=23

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q39 – MS Q39 – HS	During the past 30 days, on how many days did you smoke cigarettes?	0 days 1 or 2 days 3 to 5 days 6 to 9 days 10 to 19 days 20 to 29 days All 30 days Missing	1,996 89.6 104 4.7 37 1.7 30 1.3 23 1.0 10 .4 27 1.2 N=51	2,637 90.3 130 4.5 44 1.5 33 1.1 28 1.0 15 .5 34 1.2 N=46	1,510 80.4 96 4.5 53 2.5 33 1.7 41 2.2 47 2.1 137 6.6 N=65	1,207 81.7 80 5.5 32 2.2 22 1.4 33 2.1 30 1.7 89 5.4 N=63
Q40 – HS	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?	I did not smoke cigarettes Less than 1 cig per day 1 cigarette per day 2 to 5 cigarettes per day 6 to 10 cigarettes per day 11 to 20 cigarettes per day More than 20 cigarettes day Missing			1,510 80.0 88 3.7 87 4.4 148 7.7 58 2.7 16 .7 17 .8 N=58	1,208 81.5 77 5.3 59 3.8 85 5.2 32 1.9 23 1.2 14 1.1 N=58
Q40 – MS Q41 – HS	During the past 30 days, how did you usually get your own cigarettes?	I did not smoke cigarettes I bought them in a store I bought-vending machine Someone else bought them I borrowed them Person 18+ gave to me Stole from a store/family I got them some other way Missing	1,958 88.4 15 .7 10 .5 37 1.7 56 2.5 18 .8 48 2.2 74 3.3 N=62	2,598 89.3 24 .8 16 .6 61 2.1 43 1.5 24 .8 49 1.7 93 3.2 N=59	1,506 80.1 82 4.0 6 .4 97 4.4 111 5.0 41 2.1 13 .8 62 3.3 N=64	1,208 81.6 76 4.4 4 0.4 65 4.1 65 4.1 21 1.1 17 1.1 43 3.1 N=57

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q41 – MS Q42 – HS	When you bought or tried to buy cigarettes in a store during the past 30 days, were you ever asked to show proof of age?	I did not try to buy cigarettes. Yes No Missing	2,147 96.9 27 1.2 42 1.9 N=62	2,795 96.0 33 1.1 83 2.9 N=56	1,771 91.0 112 5.5 73 3.5 N=26	1,384 90.3 84 5.2 70 4.5 N=18
Q42 – MS Q43 – HS	During the past 30 days, on how many days did you smoke cigarettes on school property?	0 days 1 or 2 days 3 to 5 days 6 to 9 days 10 to 19 days 20 to 29 days All 30 days Missing	2,138 96.6 33 1.5 16 .7 10 .5 3 .1 2 .1 12 .5 N=64	2,788 95.9 50 1.7 22 .8 17 .6 10 .3 5 .2 15 .6 N=59	1,784 92.6 50 2.5 17 .9 13 .5 26 .9 18 .8 39 1.8 N=35	1,413 93.2 39 2.1 15 0.8 8 0.3 16 0.9 11 0.8 32 1.8 N=22
Q43 – MS Q44 – HS	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip?	0 days 1 or 2 days 3 to 5 days 6 to 9 days 10 to 19 days 20 to 29 days All 30 days Missing	2,152 96.6 44 2.0 10 .4 4 .2 4 .2 1 .0 12 .5 N=51	2,815 96.6 43 1.5 18 .6 12 .4 8 .3 6 .2 12 .4 N=53	1,871 96.4 28 1.3 12 .3 7 .1 6 .3 6 .3 30 1.3 N=22	1,456 94.1 33 1.9 8 0.5 11 0.7 9 0.8 3 0.2 22 1.7 N=14
Q45 – HS	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?	0 days 1 or 2 days 3 to 5 days 6 to 9 days 10 to 19 days 20 to 29 days All 30 days Missing			1,897 97.2 16 .8 10 .2 4 .2 10 .5 4 .3 19 .9 N=22	1,484 96.4 19 1.0 0 .0 5 .5 6 .5 1 .1 20 1.6 N=21

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q44 – MS Q46 – HS	During your life, on how many days have you had at least one drink of alcohol?	0 days 1 or 2 days 3 to 9 days 10 to 19 days 20 to 39 days 40 to 99 days 100 or more days Missing	1,121 50.3 490 22.0 282 12.7 128 5.7 85 3.8 52 2.3 69 3.1 N=51	1,508 51.7 655 22.5 333 11.4 134 4.6 113 3.9 76 2.6 97 3.3 N=51	414 24.4 199 11.5 288 15.7 215 11.7 218 11.7 193 10.0 293 15.0 N=162	348 25.9 159 11.3 246 17.8 159 10.7 156 10.6 148 10.0 199 13.6 N=141
Q45 – MS Q47 – HS	How old were you when you had your first drink of alcohol other than a few sips?	Never drank alcohol 8 years old or younger 9 or 10 years old 11 or 12 years old 13 or 14 years old 15 or 16 years old 17 years old or older Missing	1,275 57.7 249 11.3 200 9.1 346 15.6 139 6.3 N=69	1,686 58.9 297 10.4 282 9.8 393 13.8 204 7.2 N=105	406 24.0 194 10.7 121 6.2 282 15.0 481 26.1 300 15.9 36 2.1 N=162	343 25.4 146 10.6 84 6.5 196 14.0 378 26.1 249 15.8 25 1.6 N=135
Q48 – HS	During the past 30 days, on how many days did you have at least one drink of alcohol?	0 days 1 or 2 days 3 to 5 days 6 to 9 days 10 to 19 days 20 to 29 days All 30 days Missing			1,031 56.6 383 20.0 189 10.0 135 7.1 80 4.1 26 1.2 17 1.0 N=121	830 58.6 281 19.0 141 9.7 75 5.0 70 5.0 14 1.0 25 1.8 N=120

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q46 – MS Q49 – HS	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is within a couple of hours?	0 days 1 day 2 days 3 to 5 days 6 to 9 days 10 to 19 days 20 or more days Missing	1,922 86.5 133 6.0 61 2.7 50 2.2 30 1.3 8 .4 19 .9 N=55	2,497 86.1 158 5.4 97 3.3 75 2.6 21 .7 22 .8 30 1.0 N=67	1,379 72.2 197 10.1 118 5.6 127 6.8 67 3.0 35 1.5 16 .8 N=43	1,135 75.2 130 8.5 83 5.5 78 4.9 42 2.6 22 1.7 24 1.7 N=42
Q47 – MS Q50 – HS	During the past 30 days, on how many days did you have at least one drink of alcohol on school property?	0 days 1 or 2 days 3 to 5 days 6 to 9 days 10 to 19 days 20 to 29 days All 30 days Missing	2,125 95.7 56 2.5 19 .9 6 .3 3 .1 2 .1 9 .4 N=58	2,744 94.7 85 2.9 29 1.0 20 .7 6 .2 1 .0 12 .4 N=70	1,808 92.6 86 4.9 21 1.0 20 1.0 7 .3 2 .0 6 .2 N=32	1,424 93.2 56 3.9 12 0.8 8 0.6 7 0.3 4 0.2 14 1.0 N=31
Q48 – MS Q51 – HS	How do you usually get the alcoholic beverages you drink?	I don't drink alcohol. From home-parents know From home-parents don't From friends Ask adults to purchase Buy them myself Missing	1,433 65.3 359 16.3 139 6.3 228 10.4 27 1.2 10 .5 N=58	1,896 66.2 440 15.4 181 6.3 300 10.5 32 1.1 17 .6 N=101	738 39.5 310 15.5 102 5.9 626 30.6 109 4.9 68 3.6 N=29	575 9.2 249 16.2 95 6.6 494 30.7 63 4.2 53 3.0 N=27

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q52 – HS	During your life, how many times have you used marijuana?	0 times 1 or 2 times 3 to 9 times 10 to 19 times 20 to 39 times 40 to 99 times 100 or more times Missing			1,026 53.4 180 9.5 182 9.1 104 5.5 101 5.1 99 5.0 253 12.5 N=37	894 60.7 143 9.5 117 7.3 71 4.7 64 3.8 66 4.1 153 9.9 N=48
Q49 – MS Q53 – HS	How old were you when you tried marijuana for the first time?	Never tried marijuana 8 years old or younger 9 or 10 years old 11 or 12 years old 13 or 14 years old 15 or 16 years old 17 years old or older Missing	1,854 83.4 27 1.2 62 2.8 171 7.7 108 4.9 N=56	2,484 85.7 43 1.5 79 2.8 165 5.7 126 4.4 N=70	1,026 53.2 36 1.8 52 2.5 169 8.1 417 22.6 225 10.3 26 1.4 N=31	894 60.0 36 2.5 37 2.8 101 7.1 273 17.2 156 9.2 21 1.3 N=38
Q50 – MS Q54 – HS	During the past 30 days, how many times did you use marijuana?	0 times 1 or 2 times 3 to 9 times 10 to 19 times 20 to 39 times 40 or more times Missing	2,005 90.5 81 3.7 53 2.4 31 1.4 20 .9 25 1.1 N=63	2,647 91.7 94 3.3 53 1.8 37 1.3 22 .8 35 1.2 N=79	1,496 77.7 147 7.7 108 5.3 64 3.1 52 2.6 72 3.6 N=43	1,233 82.7 105 6.5 55 3.4 32 2.0 21 1.5 61 4.0 N=49

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q51 – MS Q55 – HS	During the past 30 days, how many times did you use marijuana on school property?	0 times 1 or 2 times 3 to 9 times 10 to 19 times 20 to 39 times 40 or more times Missing	2,137 96.7 38 1.7 17 .8 7 .3 2 .1 8 .4 N=69	2,774 96.6 34 1.2 26 .9 13 .5 8 .3 16 .6 N=96	1,852 94.7 49 2.5 32 1.7 9 .4 9 .4 8 .4 N=23	1,440 94.3 35 2.1 16 1.2 11 0.7 2 0.2 25 1.6 N=27
Q52 – MS Q56 – HS	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?	0 times 1 or 2 times 3 to 9 times 10 to 19 times 20 to 39 times 40 or more times Missing	2,098 94.4 66 3.0 25 1.1 13 .6 8 .4 13 .6 N=55	2,721 94.0 84 2.9 39 1.3 21 .7 9 .3 21 .7 N=72	1,722 89.1 87 3.9 55 2.8 31 1.4 22 1.1 40 1.7 N=25	1,346 88.9 56 3.5 46 3.0 18 0.8 16 1.1 41 2.7 N=33
Q57 – HS	During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?	0 times 1 or 2 times 3 to 9 times 10 to 19 times 20 to 39 times 40 or more times Missing			1,858 95.6 38 1.7 27 1.5 9 .4 6 .3 12 .5 N=32	1,430 94.6 32 2.2 20 1.1 10 0.6 4 0.4 16 1.2 N=44
Q58 – HS	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?	0 times 1 or 2 times 3 to 9 times 10 to 19 times 20 to 39 times 40 or more times Missing			1,648 85.5 153 7.4 84 4.1 30 1.3 19 .8 21 .9 N=27	1,299 84.7 119 7.2 65 3.6 21 1.3 15 1.3 26 1.9 N=11

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q53 – MS Q59 – HS	During the past 30 days, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?	0 times 1 or 2 times 3 to 9 times 10 to 19 times 20 to 39 times 40 or more times Missing	1,967 88.8 155 7.0 55 2.5 13 .6 7 .3 18 .8 N=63	2,568 88.9 188 6.5 83 2.9 25 .9 4 .1 20 .7 N=79	1,872 96.1 49 2.5 19 .8 2 .1 3 .1 8 .3 N=29	1,453 93.7 47 3.0 16 1.1 11 .8 0 .0 17 1.4 N=12
Q54 – MS Q60 – HS	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?	0 times 1 or 2 times 3 to 9 times 10 to 19 times 20 to 39 times 40 or more times Missing	2,057 94.5 63 2.9 24 1.1 10 .5 7 .3 15 .7 N=102	2,647 94.5 69 2.5 34 1.2 24 .9 8 .3 20 .7 N=165	1,701 87.5 98 4.9 58 2.9 29 1.3 32 1.4 50 1.9 N=14	1,349 88.3 63 3.8 42 2.5 24 1.4 12 0.8 48 3.2 N=18
Q55 – MS Q61 – HS	During your life, how many times have you used other illegal drugs, such as heroin, hallucinogens, depressants, or tranquilizers?	0 times 1 or 2 times 3 to 9 times 10 to 19 times 20 to 39 times 40 or more times Missing	2,098 94.8 70 3.2 20 .9 10 .5 6 .3 10 .5 N=64	2,733 94.8 70 2.4 36 1.2 20 .7 6 .2 19 .7 N=83	1,649 85.0 124 5.7 85 4.0 54 2.3 20 .9 45 2.2 N=5	1,342 87.5 68 3.9 47 2.9 25 1.8 20 1.2 43 2.8 N=11
Q62 – HS	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?	0 times 1 or 2 times 3 to 9 times 10 to 19 times 20 to 39 times 40 or more times Missing			1,858 93.5 47 2.7 29 1.5 19 1.3 6 .3 18 .7 N=5	1,464 94.5 23 1.3 23 1.8 13 0.8 6 0.4 16 1.2 N=11

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q56 – MS Q63 – HS	During your life, how many times have you taken over-the-counter drugs to feel high?	0 times 1 or 2 times 3 to 9 times 10 to 19 times 20 to 39 times 40 or more times Missing	2,070 93.7 80 3.6 25 1.1 13 .6 9 .4 13 .6 N=68	2,680 93.0 107 3.7 49 1.7 23 .8 8 .3 14 .5 N=86	1,603 84.0 140 6.5 94 4.2 53 2.4 26 1.5 39 1.5 N=27	1,299 85.9 86 5.1 67 3.6 33 2.0 16 1.1 36 2.3 N=19
Q57 – MS Q64 – HS	During your life, how many times have you used a needle to inject any illegal drug into your body?	0 times 1 time 2 or more times Missing	2,160 97.8 31 1.4 18 .8 N=69	2,783 97.2 42 1.5 37 1.3 N=105	1,907 96.7 33 1.5 36 1.8 N=6	1,490 96.0 20 1.4 33 2.5 N=13
Q58 – MS Q65 – HS	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?	Yes No Missing	462 20.9 1,750 79.1 N=66	564 19.7 2,305 80.3 N=98	676 34.5 1,297 65.5 N=9	498 32.6 1,041 67.4 N=17
Q59 – MS Q66 – HS	During the past 12 months, how many times did you gamble, such as betting money on cards; games of personal skills or sports teams; buying lottery tickets; or gambling in a casino?	0 times 1 time 2 or 3 times 4 or 5 times 6 or 7 times 8 or 9 times 10 or 11 times 12 or more times Missing	1,462 66.1 215 9.7 221 10.0 98 4.4 34 1.5 25 1.1 24 1.1 132 6.0 N=67	1,967 68.6 250 8.7 269 9.4 120 4.2 59 2.1 26 .9 22 .8 155 5.4 N=99	1,278 64.2 166 8.5 219 11.1 117 6.1 35 1.6 24 1.6 10 .6 126 6.2 N=7	932 58.8 117 8.0 189 12.5 72 4.7 32 2.1 33 2.4 16 1.1 148 10.2 N=17

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q60 – MS Q67 – HS	Among your closest friends, how many use tobacco (chew, snuff, cigarettes, or cigars) almost every day?	None A few Some Most All Missing	1,504 68.2 429 19.5 166 7.5 71 3.2 34 1.5 N=74	1,996 70.3 534 18.8 181 6.4 97 3.4 31 1.1 N=128	784 42.0 555 28.3 317 15.0 271 12.8 47 1.9 N=8	663 44.4 449 29.2 208 12.8 173 10.4 47 3.2 N=16
Q61 – MS Q68 – HS	Among your closest friends, how many use alcohol at least once a month?	None A few Some Most All Missing	1,384 62.5 491 22.2 161 7.3 118 5.3 60 2.7 N=64	1,857 65.0 598 20.9 196 6.9 139 4.9 69 2.4 N=108	479 25.8 555 28.2 321 16.4 429 20.6 187 8.9 N=11	388 27.2 450 29.5 263 17.3 302 17.9 132 8.1 N=21
Q62 – MS Q69 – HS	How much do you think people risk harming themselves if they smoke one or more packs of cigarettes a day?	No risk Slight risk Moderate risk Great risk Not sure Missing	162 7.3 115 5.2 288 13.1 1,350 61.2 291 13.2 N=72	276 9.7 167 5.9 326 11.5 1,694 59.5 384 13.5 N=120	110 5.8 281 13.6 604 29.3 857 44.8 123 6.6 N=7	86 6.3 53 3.4 195 12.8 1,118 72.0 75 5.5 N=29
Q63 – MS Q70 – HS	How much do you think people risk harming themselves if they have five or more drinks of alcohol in a row, that is, within a couple of hours?	No risk Slight risk Moderate risk Great risk Not sure Missing	185 8.4 254 11.5 535 24.3 959 43.6 267 12.1 N=78	273 9.7 293 10.4 612 21.7 1,296 45.9 347 12.3 N=146	2501 2.6 431 21.3 545 27.9 650 33.5 90 4.8 N=16	130 9.8 205 13.4 459 28.9 670 43.0 71 5.0 N=21

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q64 – MS Q71 – HS	How much do you think people risk harming themselves if they smoke marijuana occasionally?	No risk Slight risk Moderate risk Great risk Not sure Missing	205 9.3 210 9.5 436 19.8 1,112 50.5 237 10.8 N=78	314 11.1 243 8.6 464 16.4 1,485 52.3 331 11.7 N=130	52 2.9 53 2.3 168 8.1 1,617 83.1 76 3.6 N=16	209 14.2 301 19.4 375 23.7 579 38.1 72 4.5 N=20
Q65 – MS Q72 – HS	How much do you think people risk harming themselves if they use illegal drugs, such as cocaine, heroin, crystal, methamphetamines, or hallucinogens?	No risk Slight risk Moderate risk Great risk Not sure Missing	124 5.6 59 2.7 151 6.9 1,636 74.5 227 10.3 N=81	226 8.0 74 2.6 208 7.3 2,025 71.5 300 10.6 N=134	64 3.3 72 3.5 273 14.5 1,451 73.3 106 5.5 N=16	72 5.9 30 1.8 118 7.8 1,251 80.5 58 3.9 N=27
Q73 – HS	How would your parents/guardian feel if you attended a party where alcoholic beverages were available?	Approve Wouldn't care Disapprove Greatly disapprove I'm not sure Missing			118 6.0 266 12.8 575 29.6 762 38.2 245 13.5 N=16	100 7.8 179 10.8 431 27.3 653 43.1 167 11.0 N=26
Q74 – HS	How would your parents/guardian feel if you had five or more drinks or alcohol in a row, that is, within a couple of hours?	Approve Wouldn't care Disapprove Greatly disapprove I'm not sure Missing			62 3.7 172 8.3 405 19.6 1,185 60.3 144 8.1 N=14	54 4.0 121 7.9 290 17.9 967 63.1 99 7.2 N=25

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q66 – MS Q75 – HS	How would your parents/guardian feel if you smoked marijuana?	Approve Wouldn't care Disapprove Greatly disapprove I'm not sure Missing	79 3.6 57 2.6 169 7.7 1,666 76.4 211 9.7 N=96	148 5.3 73 2.6 181 6.4 2,134 75.9 277 9.8 N=154	65 3.4 119 5.8 340 16.8 1,329 68.4 108 5.7 N=21	69 5.0 75 4.2 233 14.7 1,094 72.4 55 3.7 N=30
Q67 – MS Q76 – HS	How important is it for schools to help students address the problems of today (substance abuse, violence, AIDS/HIV, teen pregnancy, abuse, suicide, etc.)?	Very important Important Somewhat important Not important Missing	1,486 67.9 402 18.4 209 9.5 93 4.2 N=88	1,945 69.0 506 17.9 252 8.9 116 4.1 N=148	1,233 63.7 425 21.2 220 10.7 91 4.4 N=13	941 61.9 342 21.7 166 10.8 81 5.5 N=26
Q77 – HS	Have you ever had sexual intercourse?	Yes No Missing			874 46.4 975 53.6 N=133	638 44.1 788 55.9 N=130
Q78 – HS	How old were you when you had sexual intercourse for the first time?	Never had sexual intercourse 11 years old or younger 12 years old 13 years old 14 years old 15 years old 16 years old 17 years old or older Missing			973 53.6 68 3.9 56 3.6 117 6.6 197 10.3 227 11.6 144 7.6 59 2.8 N=141	786 56.0 55 4.3 42 3.4 95 6.8 134 9.4 155 10.3 112 7.2 43 2.7 N=134

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q79 – HS	During your life, with how many people have you had sexual intercourse?	Never had sexual intercourse 1 person 2 people 3 people 4 people 5 people 6 or more people Missing			974 53.8 271 13.3 168 8.6 101 5.3 85 4.8 68 3.9 174 10.3 N=141	787 56.1 217 14.9 123 8.2 76 5.5 52 3.8 43 2.6 122 8.8 N=136
Q80 – HS	During the past 3 months, with how many people did you have sexual intercourse?	Never had sexual intercourse None during past 3 months 1 person 2 people 3 people 4 people 5 people 6 or more people Missing			973 53.7 245 13.6 458 22.4 88 5.8 30 1.9 14 .8 6 .3 26 1.4 N=142	786 56.2 174 13.1 339 21.8 64 4.2 22 2.0 8 0.5 2 0.1 23 2.1 N=138
Q81 – HS	Did you drink alcohol or use drugs before you had sexual intercourse the last time?	Never had sexual intercourse Yes No Missing			968 53.6 190 10.7 674 35.7 N=150	785 55.9 143 10.1 492 34.0 N=136
Q82 – HS	The last time you had sexual intercourse, did you or your partner use a condom?	Never had sex intercourse Yes No Missing			971 53.9 550 30.6 307 15.5 N=154	786 56.6 395 28.2 229 15.2 N=146

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q83 – HS	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?	Never had sex intercourse No method was used Birth control pills Condoms Depo-Provera Withdrawal Some other method Not sure Missing			972 54.1 92 5.2 143 7.4 452 25.3 33 1.1 89 4.6 19 1.0 21 1.3 N=161	786 56.7 66 4.5 103 6.2 319 23.3 19 1.2 68 4.4 24 1.9 22 1.7 N=149
Q84 – HS	How many times have you been pregnant or gotten someone pregnant?	0 times 1 time 2 or more times Not sure Missing			1,809 94.3 69 3.6 28 1.1 17 1.0 N=59	1,408 92.7 55 3.1 32 2.3 25 1.9 N=36
Q68 – MS Q85 – HS	Have you ever been taught about AIDS or HIV infection in school?	Yes No Not sure Missing	1,356 61.9 615 28.1 221 10.1 N=86	1,540 54.8 895 31.8 377 13.4 N=155	1,744 88.0 156 8.9 63 3.1 N=19	1,313 85.1 151 10.8 63 4.1 N=29
Q69 – MS Q86 – HS	How do you describe your weight?	Very underweight Slightly underweight About the right weight Slightly overweight Very overweight Missing	108 5.0 306 14.1 1,214 56.0 478 22.1 60 2.8 N=112	172 6.2 390 14.0 1,522 54.7 609 21.9 90 3.2 N=184	50 3.1 244 12.3 1,076 54.6 523 26.5 64 3.5 N=25	42 3.6 191 13.3 834 53.1 389 26.4 60 3.6 N=40

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q70 – MS Q87 – HS	Which of the following are you trying to do about your weight?	Lose weight Gain weight Stay the same weight Not trying to do anything Missing	988 45.1 233 10.6 488 22.3 480 21.9 N=89	1,310 46.9 326 11.7 588 21.0 570 20.4 N=173	948 47.0 304 16.6 347 18.4 354 18.0 N=29	757 48.6 213 15.1 287 19.1 257 17.2 N=42
Q88 – HS	During the past 30 days, did you exercise to lose weight or to keep from gaining weight?	Yes No Missing			1,230 61.9 730 38.1 N=22	1,014 65.3 501 34.7 N=41
Q89 – HS	During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?	Yes No Missing			768 38.0 1,191 62.0 N=23	654 41.0 861 59.0 N=41
Q90 – HS	During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?	Yes No Missing			243 11.8 1,712 88.2 N=27	187 11.8 1,321 88.2 N=48
Q91 – HS	During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight?	Yes No Missing			211 9.9 1,749 90.1 N=22	126 8.6 1,383 91.4 N=47

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q92 – HS	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?	Yes No Missing			135 6.3 1,823 93.7 N=24	110 7.6 1,398 92.4 N=48
Q71 – MS	During the past 7 days, how many times did you eat fruit?	Did not eat in past 7 days 1 to 3 times past 7 days 4 to 6 times past 7 days 1 time per day 2 times per day 3 times per day 4 or more times per day Missing	251 11.6 672 30.9 437 20.1 212 9.8 262 12.1 122 5.6 217 10.0 N=105	348 12.5 940 33.9 489 17.6 262 9.4 299 10.8 154 5.5 283 10.2 N=192		
Q72 – MS Q93 – HS	During the past 7 days, how many times did you eat green salad?	Did not eat in past 7 days 1 to 3 times past 7 days 4 to 6 times past 7 days 1 time per day 2 times per day 3 times per day 4 or more times per day Missing	764 35.3 822 38.0 272 12.6 158 7.3 67 3.1 22 1.0 59 2.7 N=114	1,038 37.6 1,027 37.2 303 11.0 199 7.2 73 2.6 24 .9 98 3.5 N=205	632 34.0 935 47.7 220 10.2 106 5.2 36 1.6 9 .4 18 .9 N=26	481 34.5 723 45.0 158 10.7 87 5.9 27 2.0 7 0.5 20 1.4 N=53
Q73 – MS Q94 – HS	During the past 7 days, how many times did you eat vegetables such as carrots or potatoes?	Did not eat in past 7 days 1 to 3 times past 7 days 4 to 6 times past 7 days 1 time per day 2 times per day 3 times per day 4 or more times per day Missing	297 13.7 818 37.6 517 23.8 232 10.7 138 6.3 61 2.8 112 5.1 N=103	469 16.9 1,040 37.6 557 20.1 311 11.2 164 5.9 95 3.4 133 4.8 N=198	209 11.9 796 41.2 514 25.2 227 11.1 125 6.0 39 2.0 48 2.7 N=24	193 14.9 613 41.4 364 22.4 161 10.4 101 6.3 35 2.3 39 2.3 N=50

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967=	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q74 – MS Q95 – HS	During the past 7 days, how many glasses of milk did you drink?	Did not drink in past 7 days 1 to 3 glasses past 7 days 4 to 6 glasses past 7 days 1 glass per day 2 glasses per day 3 glasses per day 4 or more glasses per day Missing	239 11.0 447 20.6 400 18.4 250 11.5 331 15.2 231 10.6 274 12.6 N=106	365 13.2 561 20.3 472 17.1 361 13.1 437 15.8 273 9.9 293 10.6 N=205	283 13.9 508 25.6 327 16.9 240 11.9 290 15.0 151 8.2 155 8.4 N=28	267 16.6 373 24.2 252 15.9 177 11.8 201 15.0 123 8.6 111 7.9 N=52
Q75 – MS Q96 – HS	On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling or dancing, or similar aerobic activities?	0 days 1 day 2 days 3 days 4 days 5 days 6 days 7 days Missing	204 9.5 162 7.5 208 9.7 229 10.6 223 10.4 315 14.6 153 7.1 657 30.5 N=127	290 10.6 205 7.5 261 9.5 291 10.6 247 9.0 386 14.1 176 6.4 883 32.2 N=228	258 13.4 180 8.7 210 11.2 255 12.6 206 10.3 275 14.6 184 9.3 379 19.8 N=35	217 13.9 123 8.1 161 10.4 186 11.9 156 10.3 220 14.7 121 7.7 314 22.8 N=58
Q76 – MS Q97 – HS	On how many of the past 7 days did you participate in physical activity for at least 30 minutes that did not make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?	0 days 1 day 2 days 3 days 4 days 5 days 6 days 7 days Missing	548 25.3 289 13.4 309 14.3 251 11.6 157 7.3 153 7.1 69 3.2 386 17.9 N=116	713 25.9 403 14.7 350 12.7 289 10.5 209 7.6 197 7.2 84 3.1 505 18.4 N=217	488 24.6 232 12.4 250 13.3 268 13.7 175 8.7 141 6.7 93 4.9 308 15.6 N=27	418 28.9 182 12.3 182 11.8 166 10.9 126 8.2 102 6.7 65 4.2 258 17.0 N=57

ITEM #	ITEM	RESPONSE	MIDDLE SCHOOL 2003 N = 2,278	MIDDLE SCHOOL 2005 N = 2,967	HIGH SCHOOL 2003 N = 1,982	HIGH SCHOOL 2005 N = 1,556
Q77 – MS Q98 – HS	On an average school day, how many hours do you watch TV, use a home computer, or play video games?	I do not watch TV, etc. Less than 1 hour per day 1 hour per day 2 hours per day 3 hours per day 4 hours per day 5 or more hours per day Missing	108 5.0 266 12.3 291 13.5 451 20.9 392 18.1 239 11.1 415 19.2 N=116	144 5.2 383 13.9 355 12.9 560 20.4 506 18.4 292 10.6 508 18.5 N=219	77 4.0 281 13.4 248 12.5 411 21.4 386 19.8 251 13.1 288 15.9 N=40	74 5.4 202 12.9 204 13.1 290 20.0 283 19.3 163 11.3 260 18.0 N=80
Q78 – MS Q99 – HS	During the past 12 months, how many times were you injured while exercising, playing sports, or being physically active and had to be treated by a doctor or nurse?	0 times 1 time 2 times 3 times 4 times 5 or more times Missing	1,182 54.5 368 17.0 243 11.2 156 7.2 61 2.8 157 7.2 N=111	1,462 53.2 483 17.6 298 10.8 200 7.3 80 2.9 225 8.2 N=219	1,144 58.8 351 18.6 226 11.4 100 5.5 42 1.9 79 3.8 N=40	905 59.9 246 17.3 150 10.4 81 5.6 28 2.1 66 4.5 N=80

REFERENCES

1. National Highway Traffic Safety Administration. *Motor Vehicle Occupant Protection FACTS: Occupant Restraints for All Age Groups Save Lives*. Washington DC: U.S. Department of Transportation, 2002 retrieved 9/1/05.
2. National Highway Traffic Safety Administration. Traffic Safety Facts: Bicycle Helmet Use Laws. Washington DC: US Department of Transportation, March 2005 Retrieved 9/01/05 <http://www.nhtsa.dot.gov/people/injury/New-fact-sheet03BicycleHelmetUse.pdf>.
3. National Highway Traffic Safety Administration. Traffic Safety Facts 2000-2001. Washington, D.C., U.S. Department of Transportation.
4. Anderson M, Kaufman J, Simon TR, Barrios L, Paulozzi L, Ryan G et al. School-Associated Violent Deaths Study Group. School-associated violent deaths in the United States, 1994-1999. *Journal of the American Medical Association* 2001; 286(21):2695-2702.
5. Anderson RN, Smith BL. Deaths: leading causes for 2001. *National Vital Statistics Report* 2003;52(9):1-86 <http://www.cdc.gov/nipic/factsheets/yvfacts.htm>.
6. Centers for Disease Control and Prevention. Web-based Injury Statistics Query and Reporting System (WISQARS). National Center for Injury Prevention and Control, Centers for Disease Control and Prevention (producer). 2004. [Online] Available:<http://www.cdc.gov.ncipc/wisqars/default.htm>.
7. Cook PJ, Ludwig J. The costs of gun violence against children. *Future of Children* 2002; 12(2):87-99.
8. O'Carroll PW, Smith JA. Suicide and homicide, In: Wallace HM, Ryan G, Oglesby AC, eds. *Maternal and Child Health Practices*. Oakland, CAL Third Party Publishing, 583-597, 1988.
9. Avery-Leaf S, Cascard M, O'Leary KD, Cano A. Efficacy of a dating violence prevention program on attitudes justifying aggression. *Journal of Adolescent Health* 21: 11-17, 1997.
10. Davis TC, Peck GQ, Stormont JM. Acquaintance rape and the high school student. *Journal of Adolescent Health* 14:220-224, 1993.
11. Kolbe LJ, Kann, L, Brener ND. School Health Policies and Programs Study: A summary report. *Journal of School Health* 2001; 71(7):253-259.
12. Centers for Disease Control and Prevention. Surveillance Summaries. *Morbidity and Mortality Weekly Report* 53[SS-2], 1-96. 2004.
13. Alcohol, Drug Abuse, and Mental Health Administration: *Report of the Secretary's Task Force on Youth Suicide*. DHHS Publication No. (ADM) 89-1621-4, Washington, DC, 1989.
14. Nock, M, PHD. Kids health for Parents. About teen suicide.<http://kidshealth.org/parent/emotions/behavior/suicide.html>.
15. University of Nevada, Reno. Cooperative Extension Service. Fact Sheet #98-33. <http://www.unce.unr.edu/publications/FS98/FS9833.pdf>
16. *Las Vegas Sun*, April 14, 2005, [On-Line] Available: <http://www.lasvegassun.com/sunbin/stories/sun/2005/apr/14/518602188.html?suicide%20prevention>
17. U.S. Department of Health and Human Services. The Health Consequences of Smoking: A Report of the Surgeon General. 2004. U.S. Department of Health and Human Services; Centers for Disease Control and Prevention; National Center for Chronic Disease Prevention and Health Promotion; Office on Smoking and Health.
18. Centers for Disease Control and Prevention, Surgeon General's Report 2004—FactSheets.2004 http://www.cdc.gov/tobacco/sgr/sgr_2004/Factsheets.htm.
19. Everett SA, Malarcher AM, Sharp DJ, Husten CG, Giovino GA. Relationship between cigarette, smokeless tobacco, and cigar use, and other health risk behaviors among U.S. high school students. *Journal of School Health* 2000; 70(6):234-240.
20. Johnston LD, O'Malley PM, Bachman JG. *National Trends in Drug Use and Related Factors Among American High School Students and Young Adults*, 1975-1986. DHHS Pub. No. (ADM)87-1535. Rockville, MD: National Institute on Drug Abuse, 1987.
21. Food and Drug Administration. Regulations restricting the sale and distribution of cigarettes and smokeless tobacco products to protect children and adolescents – final rule. *Federal Register* 61:41, 314-375, 1996.
22. Small MI, Jones SE, Barrios LC, Crossett LS, Dahlberg LL, Albuquerque MS et al. School policy and environment; results from the School Health Policies and Programs Study 2000. *Journal of School Health* 2001; 71(7):325-334.
23. CDC. Preventing Tobacco Use Among Young People, a Report of the Surgeon General. Atlanta, GA:U.S. Department of Health and Human Services, 1994. <http://www.cdc.gov/HealthyYouth/tobacco/pdf/facts.pdf>.
24. Kopstein A. Tobacco Use in America: Findings from the 1999 National Household Survey on Drug Abuse. Rockville, MD. *Substance Abuse and Mental Health Services Administration Analytic Series* 2001;A-15(SMA 02-3622).
25. Centers of Disease Control and Prevention. MMWR Current Trends Use of Smokeless Tobacco-Wisconsin October 17, 1986 / 35(41):641-644 <http://www.cdc.gov/mmwr/preview/mmwrhtml/00001698>.
26. Mokdad AH, Marks JS, Stroup DF, Gerberding JL. Actual causes of death in the United States, 2000. *JAMA* 2004;291(10):1238-1245.<http://www.cdc.gov/HealthyYouth/alcoholdrug/index.htm>.
27. U.S. Department of Transportation. Fatality Analysis Reporting System (FARS) Web-based Encyclopedia. Accessed May 21, 2004. <http://www.cdc.gov/HealthyYouth/alcoholdrug/index.htm>.
28. Substance Abuse and Mental Health Services Administration. The relationship between mental health and substance abuse among adolescents. Rockville, MD: Substance Abuse and Mental Health Services Administration, 1999. <http://www.cdc.gov/HealthyYouth/alcoholdrug/index.htm>.
29. Alcohol and Behavior Problems. "Teens Who Drink Get Into More Trouble." SAMSHA Press Release. 2005. <http://alcoholism.about.com/cs/teens/a/aa00307.htm>.
30. Centers for Disease Control. *2005 Nevada High School Youth Risk Behavior Survey Results*. Trend Analysis Report, p. 4.
31. Substance Abuse and Mental Health Services Administration. Summary of Finding from the 2000 National Household Survey on Drug Abuse (NHSDA). Rockville, MD.2001; H-13, (SMA 01-3549).
32. Blanken AJ. Measuring use of alcohol and other drugs among adolescents. *Public Health Reports* 108:25-30.
33. Centers for Disease Control and Prevention. Surveillance Summaries. *Morbidity and Mortality Weekly Report* 53[SS-2], 1-96. 2004.

34. Grunbaum JA, Kann L, Kinchen S, Ross J, Hawkins J, Lowry R, et al. Youth Risk Behavior Surveillance—United States, 2003. *Morbidity and Mortality Weekly Report* 2004; 53(SS-2):1-95.
35. Morris L, Warren CW, Aral SO. Measuring adolescent sexual behaviors and related health outcomes. *Public Health Reports* 108:25-30, 1993.
36. Abma JC, Sonenstein FL. Sexual activity and contraception practices among teenagers in the United States, 1988 and 1995. *Vital Health Statistics Series* 2001; 23:1-26.
37. Hofferth SL, Hayes CD (eds.), *Risking the Future: Adolescent Sexuality, Pregnancy, and Childbearing*, Panel on Adolescent Pregnancy and Childbearing, Committee on Child Development Research and Public Policy, Commission on Behavioral and Social Sciences and Education, National Research Council, Washington, DC: National Academy Press, 1987.
38. R.J. Ramirez, MD, FICS, FABHP. "EXPOSURE TO SEXUALLY TRANSMITTED DISEASES" <http://www.surgeon-one.com/Health>.
39. Weinstock H, Berman S, Cates W. Sexually transmitted diseases among American youth: Incidence and prevalence estimates, 2000. *Perspectives on Sexual and Reproductive Health* 2004;36(1):6-10.
40. CDC. *HIV/AIDS Surveillance Report*, 2003. Vol. 15. Atlanta: US Department of Health and Human Services, CDC; 2004:1-40. <http://cdc.gov/hiv/stats/2003surveillancereport.pdf>.
41. Kann L, Brener ND, Allensworth DD. Health Education: Results from the School Health Policies and Programs Study 2000. *Journal of School Health* 2001; 71(7):266-278.
42. National Center for Health Statistics. Births: Final Data for 2002. *National Vital Statistics Reports*, 12/17/03. http://www.marchofdimes.com/professionals/681_1159.asp.
43. National Campaign to Prevent Teen Pregnancy. (2004). Factsheet: How is the 34% statistic calculated? Washington, DC: Author.
44. Singh S, & Darroch JE. (200) Adolescent pregnancy and childbearing: Levels and trends in developed countries. *Family Planning Perspectives*, 32(1), 14-23. <http://www.teenpregnancy.org/whycare/sowhat.asp>.
45. Hedley AA, Ogden CL, Johnson CL, Carroll MD, Curtin LR, Flegal KM. Prevalence of overweight and obesity among U.S. children, adolescents, and adults, 1999-2002 *JAMA* 2004; 291(23):2847-2850.
46. Freedman DS, Dietz WH, Srinivasan SR, Berenson GS. The relation of overweight to cardiovascular risk factors among children and adolescents: the Bogalusa Heart Study. *Journal of Pediatrics* 1999; 103(6):1175-1182.
47. American Heart Association. Children's Need for Physical Activity: Fact Sheet. September 7, 2005. <http://www.americanheart.org/presenter.jhtml?identifier=771>.
48. Wright CM, Parker L, Lamont D, Craft AW. Implications of childhood obesity for adult health: findings from thousand families cohort study. *British Medical Journal* 2001;323:1280-1294.
49. Public Health Service. *The Surgeon General's Report on Nutrition and Health*. Washington, DC: US Department of Health and Human Services, Public Health Service, 1988. DHHS publication no. (PHS) 88-50210.
50. Dietz WH. Health consequences of obesity in youth: Childhood predictors of adult disease. *Pediatrics* 101:518-525, 1998.
51. Neumark-Sztainer D, Hannan PJ. Weight-related behaviors among adolescent girls and boys. *Archives of Pediatric and Adolescent Medicine* 2000; 154:569-577.
52. Neumark-Sztainer D, Story M, Hannan PJ, Perry CL, Irving LM. Weight-related concerns and behaviors among overweight and nonoverweight adolescents: Implications for preventing weight-related disorders. *Archives of Pediatric and Adolescent Medicine* 2002; 156(2):1-21.
53. KeyT, Schatzkin A, Willet WC, Allen NE, Spencer EA, Travis RC. Diet, nutrition, and the prevention of cancer. *Public Health Nutrition* 2004; 7(1A):187-200.
54. National Cancer Institute, 5 A Day for Better Health Program. NIH Publication 01-5019. 2001.
55. Ness AR, Powles JW. Fruits and vegetables and cardiovascular disease: A review. *International Journal of Epidemiology* 1997; 26(1):1-13.
56. Terry P, Terr JB, Wolk A. Fruit and vegetable consumption in the prevention of cancer: An update. *Journal of Internal Medicine* 2001; 250(4):280-290.
57. U.S. Department of Agriculture, Agricultural Research Service. Unpublished data from the 1994-96 Continuing Survey of Food Intakes by Individuals. February 1998.
58. Van Duyn MA, Pivonka E. Overview of the health benefits of fruit and vegetable consumption for the dietetics professional: selected literature. *Journal of the American Dieticians Association* 2000; 100(2):1511-1521.
59. Weaver CM, Peacock M, Johnston CC. Adolescent nutrition in the prevention of postmenopausal osteoporosis. *Journal of Clinical Endocrinology and Metabolism* 1999; 84(6):1839-1843.
60. U.S. Department of Health and Human Services. *Physical Activity and Health: A Report of the Surgeon General*. Atlanta: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, 1996.
61. Crespo CJ, Smith E, Troian RP, Bartlett SJ, Macera Ca, Anderson RE. Television watching, energy intake, and obesity in US children. *Archives of Pediatric and Adolescent Medicine* 2001; 155:360-365.
62. Kaur H, Choi WS, Mayo MS, Harris KJ. Duration of television watching is associated with increased body mass index. *Journal of Pediatrics* 2003; 143(4):506-511.
63. U.S. Surgeon General. *Overweight and Obesity: Health Consequences*. Web site accessed June 30, 2005.